Item #


SEMINOLE COUNTY GOVERNMENT LAND PLANNING AGENCY / PLANNING AND ZONING COMMISSION AGENDA MEMORANDUM

SUBJECT: Alaqua Country Club Clubhouse Tract Subdivision
DEPARTMENT: Planning & Development DIVISION: Development Review
AUTHORIZED BY: Bryan Potts CONTACT: Brian M. Walker Ext. 7337
Agenda Date 07/11/07 Regular ⊠ Work Session ☐ Briefing ☐ Special Hearing – 6:00 ☐ Public Hearing – 7:00 ☐
MOTION/RECOMMENDATION:
Approve the Preliminary Subdivision Plan (PSP) for Alaqua Country Club Clubhouse Subdivision located on Alaqua Drive west of Markham Woods Road.
District 5 – Carey Brian M. Walker – Senior Planner
BACKGROUND:
The applicant, Alaqua Group, LLP, is requesting approval of the Preliminary Subdivision Plan for Alaqua Country Club Clubhouse Subdivision. The property is zoned A -1 (Agriculture - one acre minimum lot size).
The proposed subdivision is located on Alaqua Drive west of Markham Woods Road. on 14.03 acres more or less and consists of 8 single family homes on a private road.
The proposed subdivision will use a septic system and Seminole County water.
STAFF RECOMMENDATION:
Staff recommends approval of the requested Preliminary Subdivision Plan.

DR No. <u>07-0550005</u>

Parcel ID#:

15-20-29-5KW-0A00-0000



PRELIMINARY SUBDIVISION PLAN

SEMINOLE COUNTY, FLORIDA

PARCEL ID 15-20-29-5KW-0A00-0000

ALAQUA COUNTRY CLUB CLUBHOUSE TRACT SUBDIVISION

PREPARED MARCH 2007

JUN 1 9 2007

OWNER/APPLICANT

ALAOUA GROUP, LLLP 1855 WEST STATE ROAD 434 LONGWOOD, FLORIDA 32750 PHONE: (407) 998-4101 CONTACT: JOHN RITENOUR CIVIL ENGINEERING/SURVEYING/ LANDSCAPE ARCHITECT

BOWYER-SINGLETON & ASSOCIATES, INC. 520 SOUTH MAGNOLIA AVENUE ORLANDO, FLORIDA 3280I PHONE: (407) 843-5120 CONTACT: SAMUEL C. BOWYER. P.E.

GEOTECHNICAL ENGINEER

ARDAMAN AND ASSOCIATES,INC. 5633 PARTRIDGE DRIVE ORLANDO, FLORIDA 32810 PHONE: (407) 290-2371 CONTACT: GREG STEVENS

ARCHITECT

ARCHITECTURAL RESOURCE GROUP, INC.
299 LORAINE DRIVE, SUITE 2003
ALTAMONTE SPRINGS, FLORIDA 32714
PHONE: (407) 774-6700
CONTACT: JOHN X. MICHELENA

Samuel C. Bowyer Florida Reg. Number 61274

TABLE OF CONTENTS

DESCRIPTION

SHEET NO.

2

COVER SHEET

EXISTING CONDITIONS PLAN


3 OVERALL SITE PLAN

LEGAL DESCRIPTION:

ALL OF TRACT "E", TRACT "F" AND TRACT "G", ALAQUA PHASE III, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 42, PAGES 1 THROUGH 8 AND A PORTION OF TRACT "A", ALAQUA PHASE II, AS RECORDED IN PLAT BOOK 36, PAGES 27 THROUGH 29, ALL IN THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA. BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE MOST NORTHERLY CORNER OF TRACT 'F', ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 42, PAGES 1 THROUGH 8, PUBLIC RECORDS OF SEMINOLE COUNTY, THENCE RUN \$36944'07'E, ALONG THE NORTHERLY LINE OF SAID TRACT 'F' AND THE NORTHERLY LINE OF SAID TRACT 'F' AND THE NORTHERLY LINE OF SAID TRACT 'F' AND THE NORTHERLY LINE OF TRACT 'E' OF SAID ALAQUA PHASE III, A DISTANCE OF 390.00 FEET TO THE POINT OF CURWATURE OF A CURVE CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1221.30 FEET AND A CENTRAL ANGLE OF 11°52'02'; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE AND SAID NORTHERLY LINE OF TRACT 'E' AND THE NORTHERLY LINE OF TRACT 'A', ALAQUA PHASE II, AS RECORDED IN PLAT BOOK 38, PAGES 27 THROUGH 29, PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, A DISTANCE OF 225.96 FEET; THENCE DEPARTING SAID NORTHERLY LINE, RUN SA4'10'29'W, A DISTANCE OF 243.63 FEET; THENCE RUN NSB'48'29'W, A DISTANCE OF 73.60 FEET TO THE SOUTHEAST CORNER OF SAID TRACTS 'E'; THENCE ALONG THE SOUTHEAST CORNER OF SAID TRACTS 'E'; THENCE ALONG THE SOUTHERLY AND EASTERLY LINES OF SAID TRACTS 'E', "F' AND TRACT 'G', ALAQUA PHASE III THE FOLLOWING FOUR (4) COURSES AND DISTANCES, THENCE RUN NSF0'45'SS'W, A DISTANCE OF 174.09 FEET; THENCE RUN S56'45'SS'W, A DISTANCE OF 174.09 FEET; THENCE RUN S56'45'SS'W, A DISTANCE OF 195.00 FEET; THENCE RUN S20'56'SI'E, A DISTANCE OF 95.00 FEET; THENCE BUN THE SOUTHERLY LINE OF SAID TRACT 'G', THENCE RUN S10'32'SW, A DISTANCE OF 150.45 FEET; THENCE RUN N60'38'2SW, A DISTANCE OF 183.40 FEET; THENCE RUN N60'10'44'W, A DISTANCE OF 163.73 FEET; THENCE RUN N60'10'44'W, A DISTANCE OF 69.31 FEET; THENCE RUN N10'41'1'W, A DISTANCE OF 69.31 FEET; THENCE RUN N10'41'1'W, A DISTANCE OF 69.31 FEET; THENCE RUN N10'41'1'W, A DISTANCE OF 69.31 FEET; THENCE RUN N10'49'1'1'W, A DISTANCE OF 64.03 FEET; THENCE RUN N50'91'1'S', A DISTANCE OF 67.75 FEET; THENCE RUN N10'49'1'1'W, A


CONTAINING 14.03 ACRES, MORE OR LESS.



THIS IS TO CERTIFY THAT THE ROADWAY CONSTRUCTION PLANS AND SPECIFICATIONS AS CONTAINED HEREIN WERE DESIGNED TO APPLICABLE STANDARDS AS SET FORTH IN THE "MANUAL OF UNIFORM MINIMUM STANDARDS FOR DESIGN. CONSTRUCTION AND MAINTENANCE FOR STREETS AND HIGHWAYS" AS PREPARED BY FLORIDA DEPARTMENT OF TRANSPORTATION.



04-06-07 SKH REV. PER COUNTY COMMENTS



80 SET

ENGINEERING PLANNING SURVEYING ENVIRONMENTAL

CHECKED SCB 1" • 80" ROJECT NO. AGL 3 ALAQUA COUNTRY CLUB

1002

